

Pulmoclear Tablet

(Acebrophylline 100 mg + Acetylcysteine 600 mg)

Composition:

Each film-coated bilayer tablet contains:

- Acebrophylline – 100 mg
- Acetylcysteine – 600 mg

Description:

Pulmoclear Tablet is a combination of Acebrophylline 100 mg and Acetylcysteine 600 mg, designed for the management of chronic airway diseases such as COPD, chronic bronchitis, asthma with mucus hypersecretion, and bronchiectasis.

The combination helps relieve symptoms of cough, chest congestion, and breathlessness by improving mucus clearance, reducing inflammation, and enhancing lung function.

What are COPD, bronchitis, and bronchiectasis?

These are chronic airway diseases where the air passages become inflamed or filled with thick mucus, leading to breathlessness, persistent cough, and phlegm production.

Over time, this mucus buildup and inflammation can make it harder to breathe. Pulmoclear helps manage these symptoms effectively.

Mechanism of Action:

Acebrophylline:

- Acts as a Mucoregulator, bronchodilator and anti-inflammatory agent.
- Stimulates surfactant secretion, which keeps the airways open.
- Improves mucoregulation and reduces airway irritation.

Acetylcysteine (NAC):

- Acts as a mucolytic and antioxidant.
- Breaks down thick mucus, making it easier to expel.
- Neutralizes harmful free radicals that damage lung tissue.
- Improves Lung Function

Together, NAC & Acebrophylline improves breathing comfort, enhance mucus clearance, and reduce the frequency of airway exacerbations.

Advantages of Pulmoclear Tablets:

- Helps reduce cough, sputum viscosity, and breathlessness.
- Improves lung function and patient comfort in long-term use.
- Enhances quality of life in COPD and bronchitis patients.
- Reduces Exacerbations & Hospital admissions
- Clinically proven safety and tolerability.

Indications:

- Chronic Obstructive Pulmonary Disease (COPD)
- Chronic Bronchitis
- Asthma with mucus hypersecretion
- Bronchiectasis

Side Effects:

Pulmoclear is generally well tolerated. Some patients may experience:

- Mild nausea or stomach upset
- Bloating or loose motion
- Headache or dizziness (rare)
- Skin rash (very rare)

If you experience persistent or severe symptoms, consult your doctor.

Recommended Dosage:

1 tablet twice daily after food or as directed by your physician.

Can Pulmoclear be taken with other respiratory medicines?

Yes. Pulmoclear can be used as an add-on therapy along with bronchodilators, corticosteroids, and inhaled therapies to improve outcomes in COPD and bronchitis.

Directions for Use:

- To be taken orally with water after food.
- Swallow the tablet whole — do not crush or chew.
- Continue therapy as advised by your doctor.

Contraindications:

- Known hypersensitivity to Acebrophylline, Acetylcysteine, or related compounds.
- Patients with severe liver or kidney impairment should use with caution.

Warnings & Precautions

- Tell your doctor if you are pregnant, planning pregnancy, or breastfeeding.
- Inform about any history of heart, liver, or kidney problems, fits, or high blood pressure.

In case of overdose or emergency

If you take more tablets than prescribed, contact your doctor or visit the nearest hospital immediately.

Patient tips for better results

- ✓ Take your medicine regularly.
- ✓ Drink plenty of water to help thin mucus.
- ✓ Avoid smoking and pollutants.
- ✓ Practice breathing exercises.
- ✓ Attend follow-up visits to monitor lung health.

Storage:

- Store in a cool, dry place below 30°C.
- Protect from moisture and direct sunlight.
- Keep out of reach of children.

Shelf Life:

Best before 24 months from the date of manufacturing.

Manufactured & Marketed by:

Fourrts India Laboratories Pvt. Ltd.
#1, Fourrts Avenue, Annai Indira Nagar,
Okkiyam Thoraipakkam, Chennai – 600 097
Customer Care No.: 044 – 4344 1880
Email: vibrant@fourrts.com

CONFIDENTIAL